VOL. 484 JOURNAL OF CHROMATOGRAPHY DECEMBER 22, 1989

CONTENTS

PREPARATIVE CHROMATOGRAPHY (INCLUDING 6TH INTERNATIONAL SYMPOSIUM ON PREPARATIVE CHROMATOGRAPHY; WASHINGTON, DC, MAY 8–10, 1989)

Foreword
by G. Guiochon and L. R. Snyder IX

Gradient elution in non-linear preparative liquid chromatography
by F. D. Antia and Cs. Horváth (New Haven, CT, U.S.A.) 1

Mass transfer effects in isocratic non-linear elution chromatography
by C. K. Lee, Q. Yu, S. U. Kim and N.-H. L. Wang (West Lafayette, IN, U.S.A.) . . . 29

Study of preparative reversed-phase chromatography by application of kinetic and equilibrium models of column overload
by C. A. Lucy, J. L. Wade and P. W. Carr (Minneapolis, MN, U.S.A.) 61

Influence of calculation errors in the numerical simulation of chromatographic elution band profiles using an ideal or semi-ideal model
by B. Lin, Z. Ma and G. Guiochon (Knoxville and Oak Ridge, TN, U.S.A.) 83

Theoretical study of multi-component interferences in non-linear chromatography
by S. Jacobson, S. Golshan-Shirazi, A. M. Katti, M. Czok, Z. Ma and G. Guiochon (Knoxville and Oak Ridge, TN, U.S.A.) 103

Analytical solution of the ideal model of elution chromatography in the case of a binary mixture with competitive Langmuir isotherms. II. Solution using the *h*-transform
by S. Golshan-Shirazi and G. Guiochon (Knoxville and Oak Ridge, TN, U.S.A.) 125

Experimental utilization of a displacement effect for the optimization of the separation of a two-component mixture
by J. Newburger (Princeton, NJ, U.S.A.) and G. Guiochon (Knoxville and Oak Ridge, TN, U.S.A.) 153

Rapid method for determining multicomponent Langmuir parameters for displacement chromatography
by T.-W. Chen, N. G. Pinto and L. van Brocklin (Cincinnati, OH, U.S.A.) 167

Modelling methods to aid the design and optimisation of batch stirred-tank and packed-bed column adsorption and chromatography units
by G. H. Cowan, I. S. Gosling and W. P. Sweetenham (Oxon, U.K.) 187

Scale-up and optimization in production liquid chromatography
by A. M. Wilhelm and J. P. Riba (Toulouse, France) 211

Displacement chromatography of biomolecules with large particle diameter systems
by G. Subramanian, M. W. Phillips, G. Jayaraman and S. M. Cramer (Troy, NY, U.S.A.) 225

Displacement chromatography on cyclodextrin–silicas. I. Separation of positional and geometrical isomers in the reversed-phase mode
by Gy. Vigh, G. Quintero and Gy. Farkas (College Station, TX, U.S.A.) 237

Displacement chromatography on cyclodextrin–silicas. II. Separation of *cis–trans* isomers in the reversed-phase mode on α-cyclodextrin–silica
by Gy. Vigh, Gy. Farkas and G. Quintero (College Station, TX, U.S.A.) 251

Solid injection, a new technique for application of insoluble samples in preparative liquid chromatography
by L. Miller, H. Bush and E. M. Derrico (Skokie, IL, U.S.A.) 259

Preparative packing utility as a function of particle size
by J. A. Perry and T. J. Szczerba (Morton Grove, IL, U.S.A.) 267

Preparation and evaluation of a polymer-coated zirconia reversed-phase chromatographic support
by M. P. Rigney, T. P. Weber and P. W. Carr (Minneapolis, MN, U.S.A.) 273

Preparative reversed-phase high-performance liquid chromatography in the synthesis of viscosin, a cyclic depsipeptide
by T. R. Burke, Jr. and B. Chandrasekhar (Washington, DC, U.S.A.) 293

Purification of synthetic peptides on a high-resolution preparative reversed-phase column
by M. Knight and S. Gluch (Washington, DC, U.S.A.) and R. Meyer and R. S. Cooley (Morris Plains, NJ, U.S.A.) 299

Preparative-scale synthesis and reversed-phase purification of a gonadotropin-releasing hormone antagonist
by C. Hoeger, J. Porter, J. Boublik and J. Rivier (La Jolla, CA, U.S.A.) 307

Chromatography of peptides on a multi-coil counter-current chromatograph
by M. Knight (Washington, DC, U.S.A.) and Y. Ito (Bethesda, MD, U.S.A.) 319

Preparative isolation of glycoproteins from plasma membranes of different rat organs
by D. Josić, K. Zeilinger, Y.-P. Lim, M. Raps, W. Hofmann and W. Reutter (Berlin, F.R.G.) 327

Preparative resolution of enantiomers of prostaglandin precursors by liquid chromatography on a chiral stationary phase
by L. Miller and H. Bush (Skokie, IL, U.S.A.) 337

Purification of radiolabeled pharmaceuticals
by C. Baker, C. Bowlen, D. Koharski and P. McNamara (Bloomfield, NJ, U.S.A.) . . . 347

Preparative liquid chromatography of hop and beer bitter acids
by M. Verzele and G. Steenbeke (Ghent, Belgium) and L. C. Verhagen and J. Strating (Zoeterwoude, The Netherlands) 361

Strategy for the preparative-scale high-performance liquid chromatographic isolation of kadsurenone and futoquinol from the medicinal plant *Piper futokadsura*
by M. P. Strickler and M. J. Stone (Fairfax, VA, U.S.A.) and A. S. Kennington and D. M. Goldstein (Charlottesville, VA, U.S.A.) 369

Process-scale reversed-phase high-performance liquid chromatography purification of LL-E19020α, a growth promoting antibiotic produced by *Streptomyces lydicus* ssp. *tanzanius*
by D. R. Williams, G. T. Carter, F. Pinho and D. B. Borders (Pearl River, NY, U.S.A.) . 381

Purification of nitrophenylvaleric acid reaction mixtures by counter-current chromatography
by W. D. Conway (Amherst, NY, U.S.A.), J. D. Klingman (Buffalo, NY, U.S.A.) and D. Greco and K. Huh (Amherst, NY, U.S.A.) 391

Preparative and automated compound class separation of Venezuelan vacuum residua by high-performance liquid chromatography
by L. Carbognani and A. Izquierdo (Caracas, Venezuela) 399

Preparative high-performance liquid chromatography under gradient conditions. I. Band broadening in gradient elution as a function of sample size
by G. B. Cox (Glasgow, DE, U.S.A.) and L. R. Snyder and J. W. Dolan (Lafayette, CA, U.S.A.) 409

Preparative high-performance liquid chromatography under gradient conditions. II. A computer program for the design of reversed-phase gradient-elution separations of peptide and protein samples
by L. R. Snyder, J. W. Dolan and D. C. Lommen (Lafayette, CA, U.S.A.) and G. B. Cox (Glasgow, DE, U.S.A.) 425

Preparative high-performance liquid chromatography under gradient conditions. III. Craig simulations for heavily overloaded separations
by L. R. Snyder and J. W. Dolan (Lafayette, CA, U.S.A.) and G. B. Cox (Glasgow, DE, U.S.A.) 437

Author Index 451

In articles with more than one author, the name of the author to whom correspondence should be addressed is indicated in the article heading by a 6-pointed asterisk (*)